

CRANE WORKS



7795 Little York Rd
Houston, TX 77016
PH: 866-461-9445
FX: 713-491-9359
www.crane-works.com

Houston - Denver - Kansas City - San Diego - Newark - Calgary

NEW MANITEX 30124WL 30-Ton Boom Truck

STANDARD FEATURES

- 2-speed Hoist w/ Grooved Drum
- 5 Ton (4.5 mt) Hook and Ball
- 3-Load Sheave Quick Reeve Boom Head
- Hard Wired Anti-Two Block w/ Lockout
- Boom Hoist Cylinder
- System Pressure Gauge
- 372° Non Continuous Rotation
- Removable Boom Rest
- Engine Start/Stop
- Operator's Service/Parts Manuals
- Boom Length and Angle Indicators
- Electronic Throttle
- Foot Throttle
- Signal Horn
- Bubble Level
- Outrigger Monitoring System for Verification only.
- 3-Section Hydraulic Pump
- Auxiliary Winch with Auxiliary Sheave Head
- 4 Section Telescopic Boom
- 335' (102.11m) 9/16" (14.3mm) Rotation Resistant Wire Rope
- Subframe for 18' (5.5m) Bed
- 115 Gallon (435 liter) Reservoir w/Suction Strainer & Ball Valve
- Pedestal, Turret, Rotation Bearing
 - & Swing System
- Dual Operator Control Stations
- Load Moment Indicator w/Internal Length Cable
- Audio/visual Capacity Alert w/ Shut off
- Hermetically sealed Printed Circuit Board Electrical System w/LED Circuit Status Indicators
- Audible Outrigger/Stabilizer Motion Alarm
- A-frame Link Type Rear Outriggers (22' 4" Spread Width)
- Out and Down Front Stabilizers (19' 7" Spread)
- Rear Stabilizer



TEREX

ELLIOTT
EQUIPMENT COMPANY

PALFINGER



FASSI

GORMACH

Genie
A TEREX COMPANY

GC
GREEN COMPANY





INCLUDED OPTIONS

- Standard mount installation
- 18' heavy hauler steel bed
- HYCAS hard wired ATB
- 102' 3-Section van pump – clockwise in lieu of standard (for automatic transmission)

TRUCK

- New 2015 Kenworth T440 Single Steer Tandem Rear Chassis
- ISL9 370HP Diesel Engine
- Jacobs Retarder w/ 2 Way Switch
- Immersion block heater 120V 1000W
- Engine oil pan heater 120V 300W
- Cruise Control
- Allison 3000RDS 6-speed Automatic Transmission
- Dual power steering gears: 20KK TRW TAS65
- Dana Spicer D2000 20K Front Axle
- Dana Spicer D46-170HP 46K Tandem Rear Axle
- Neway ADZ246 46K Rear Suspension
- 5.38 Rear Axle Ratio
- Wheel Diff Lock
- Front Tires: Bridgestone M844F 445/65R2 Tires on Aluminum Wheels
- Rear Tires: Bridgestone M711 11R22.5 Tires (Qty 8) on Aluminum Wheels
- 90 US Gallon 24.5 Aluminum Fuel Tank
- 5.6 US Gallon DEF Tank
- Full Truck Kit w/ glad hands to end of frame
- Heat/Defrost/Air Conditioning
- Air Cushion plus HB Mordura Drivers Seat
- Toolbox plus HB Mordura Drivers Seat
- AM/FM/CD/Weather Band Radio
- Electric LH & RH Door Locks



TEREX





TEREX

